



STANDARD












OPTIONAL









Momento statico massimo al perno torretta Max. static moment at the turret pin Moment statique max. a l'axe de la tourelle Max. statisches ubmoment am kranstrahlenbolzen daN*m (lb*ff)	Coppia di rotazione Slew torque Moment de rotation Drehmoment daN*m (lb*ff)	Uscita stabilizzatori Outriggers extension Sortie de bequilles Breite der Abstützung mm (ft)	Larghezza stabilizzatori Outriggers width Largeur des bequilles Gesamtbreite der Abstützung mm (ft)	Pressione Pressure Pression Druck bar (psi)	Capacità serbatoio olio Oil tank capacity Capacité du réservoir de l'huile Öil tank inhalt L (us gal)
74750 (540771)	7100 (51364)	3625+2875 (11' 11" + 9' 5")	8850 (29')	320 (4550)	235 (62)

		E2	E3	E4	E5	E6	E7	E8	E9	E11	E7F182	E7F183	E7F184	E7F185	E7F186	E9F132	E9F133	E9F134
Sbraccio idraulico Hydraulic boom lenght Longueur du bras hydraulique Hydraulic reichweite	m (ft)	6.64 (21' 9")	8.39 (27' 6")	10.20 (33' 6")	12.05 (39' 6")	14.00 (46')	16.17 (53' 1")	18.06 (59' 3")	20.30 (66' 7")	24.50 (80' 5")	21.27 (69' 9")	23.00 (75' 6")	24.73 (81' 2")	26.57 (87' 2")	28.35 (93')	26.05 (85' 6")	28.04 (92')	30.00 (98' 5")
Lunghezza Length Longueur Gesamtbreite	mm (ft)	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")	1645 (5' 5")
Larghezza Width Largeur Breite	mm (ft)	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")	2550 (8' 4")
Altezza Height Hauteur Höhe	mm (ft)	2621 (8' 7")	2621 (8' 7")	2621 (8' 7")	2621 (8' 7")	2621 (8' 7")	2621 (8' 7")	2621 (8' 7")	2621 (8' 7")	2621 (8' 7")	2916 (9' 7")	2916 (9' 7")	2916 (9' 7")	2916 (9' 7")	2916 (9' 7")	2920 (9' 7")	2920 (9' 7")	2920 (9' 7")
Peso (senza olio e montaggio) Weight (without oil and fitting) Poids (sans huile et montage) Gewicht (ohne Öl und ohne)	Kg (lbs)	5973 (13168)	6251 (13781)	6489 (14305)	6724 (14824)	6963 (15350)	7178 (15825)	7408 (16331)	7626 (16812)	7914 (17447)	8196 (18069)	8316 (18334)	8431 (18587)	8526 (18797)	8616 (18995)	8545 (18839)	8652 (19074)	8738 (19264)

Serie 75000 E HP



75000 E HP



75000 E HP